




W-Beam Guardrail - Meets Australian Standards


W-Beam Guard Rail is a heavy duty modular system designed for asset protection, and the protection of pedestrians and from vehicles in and around motorways, industrial and commercial complexes and car parks. The W-Beam system meets Australian Standards.

With a choice of rail lengths, post options and accessories W-Beam Guard Rail can be easily configured for most applications. Rails are available in standard finish – Hot Dip Galvanised (HDG)


PART No.	GALVANISED RAILS
KRG334	W-Beam rail for 0.5 metre centres, requires 2 posts (9kgs) - HDG
KRG335	W-Beam rail for 1 metre centres, requires 2 posts (14kgs) - HDG
KRG336	W-Beam rail for 1.5 metre centres, requires 2 posts (20kgs) - HDG
KRG337	W-Beam rail for 2 metre centres, requires 2 posts (25kgs) - HDG
KRG338	W-Beam rail for 2.5 metre centres, requires 2 posts (3kgs) - HDG
KRG339	W-Beam rail for 3 metre centres, requires 3 posts (35kgs) - HDG
KRG349	W-Beam rail for 3.5 metre centres, requires 3 posts (40kgs) - HDG
KRG341	W-Beam rail for 4 metre centres, requires 3 posts (45kgs) - HDG
KRG342	W-Beam splice fixing kit (8 off M16 x 32 bolts with nuts)



PART No.	DESCRIPTION	(Part Number is for rail only)
KRG352	W-Beam rail 45 degree external curve radius 550cm (26kgs) – HDG	
KRG353	W-Beam rail 90 degree external curve radius 275cm (26kgs) – HDG	



PART No.	DESCRIPTION	(Part Number is for rail only)
KRG354	W-Beam rail 45 degree internal curve radius 550cm (26kgs) – HDG	
KRG355	W-Beam rail 90 degree internal curve radius 275cm (26kgs) – HDG	



PART No.	DESCRIPTION	(Part Number is for rail only)
KRG356	W-Beam rail 90 degree external curve radius 75cm (32kgs) – HDG	
KRG357	W-Beam rail 90 degree external curve radius 75cm (32kgs) – HDG+PC	

KELRYAN



PART No.	DESCRIPTION	Rail fixings included
KRG358	W-Beam single rail surface mount post with cap 400mm (13.2kgs) – HDG	
KRG1574	W-Beam single rail surface mount post with cap 700mm (18kgs) – HDG	
KRG1573	W-Beam single rail below ground post with cap 1800mm (24kgs) – HDG	



PART No.	DESCRIPTION	Rail fixings included
KRG361	W-Beam double rail surface mount post with cap 1140mm (24kgs) – HDG	
KRG362	W-Beam double rail below ground post with cap 1760mm (26.4kgs) – HDG	



PART No.	DESCRIPTION	Ball-Fence fixings included
KRG363	W-Beam/Ball-Fence through post (2.4kgs) – HDG	
KRG364	W-Beam/Ball-Fence end post (2.3kgs) – HDG	
KRG365	W-Beam/Ball-Fence hand rail 32 N.B. x 6 metres (3.2kgs) – HDG	



PART No.	DESCRIPTION
KRG366	W-Beam post cap – Yellow LLDPE
KRG367	W-Beam rail end boot – Yellow LLDPE



PART No.	DESCRIPTION	End terminal fixings included
KRG368	W-Beam stubby nose end terminal (12kgs) - HDG	
KRG369	W-Beam stubby nose end terminal (12kgs) - HDG+PC	



PART No.	DESCRIPTION	End terminal fixings included
KRG370	W-Beam fish tail end terminal (8.5kgs) - HDG	



PART No.	DESCRIPTION	Connector fixings included
KRG372	W-Beam 90 degree external connector (13.2kgs) - HDG	
KRG373	W-Beam 90 degree external connector (13.2kgs) - HDG+PC	



PART No.	DESCRIPTION	Connector fixings included
KRG374	W-Beam 90 degree internal connector (13.2kgs) - HDG	
KRG375	W-Beam 90 degree internal connector (13.2kgs) - HDG+PC	